

User Manual

USB-C Triple 4K Display Universal Docking Station

Model: WL-UG69PD25

@WavlinkOfficial

@WavlinkTechSupport

Table of contents:

- About This Guide
 - Conventions
 - More Info
 - Performance Disclaimer
 - Safety Instructions
 - Copyright Statement
 - WEEE Directive & Product Disposal
- Chapter 1 Overview
 - Package Content
 - Product Overview
 - Front View
 - Rear View
- Chapter 2 DisplayLink Driver Installation
 - For Windows OS
 - For Mac OS
- Chapter 3 Connection and Resolution
 - Connection
 - Power on Your Dock
 - Connect to the Host
 - Connect to the Monitors
 - Resolution
 - Single Display
 - Dual Display
 - Triple Display
- Chapter 4 Display Settings
 - Display Settings
 - For Windows OS
 - For Mac OS
 - For Mac OS X13
- Chapter 5 FAQ and After-sale Service
 - FAQ and After-sale Service
 - FAQ
 - After-sale Service

About This Guide

This guide serves as a companion to the Quick Installation Guide for your wired USB product. The Quick Installation Guide provides essential steps for immediate setup, while this document offers detailed explanations of product features and advanced configuration options.

Please note that product functionality may vary slightly depending on your specific model, software version, geographic region, language, and connected devices. Screenshots, parameters, and descriptions in this guide are for illustrative purposes only.

Conventions

In this guide the following conventions are used:

Convention	Description
<u>Underlined</u>	Underlined words or phrases are hyperlinks. You can click to redirect to a website or a specific section.
Teal	The content and text that needs to be emphasized on the web page is the theme color $\#1D428A$, including menus, items, buttons, etc.
Note:	Critical reminders to prevent operational errors or functionality issues.
Tips:	Best practices or optimization suggestions for enhanced performance.

More Info

The latest driver, firmware and utilities are available from the Download Center at **WAVLINK SUPPORT** .

Included in your product packaging or available digitally via the link above.

If you encounter any issues, please don't hesitate to email **contact@wavlink.com/techsupport@wavlink.com/postsales@wavlink.com** to provide feedbacks or contact online customer service, thank you!

Performance Disclaimer

The maximum transfer speeds stated for this product are based on theoretical limits of USB specifications (e.g., USB 2.0/3.0/3.1 Gen 1/Gen 2). Actual performance may vary due to:

Device limitations: Host system performance, driver compatibility, and connected device capabilities.

Environmental factors: USB cable quality, length, electromagnetic interference, and port power delivery.

Network/software conditions: Operating system overhead, background processes, and concurrent data transfers.

Wired connections are generally more stable than wireless alternatives, but performance is not guaranteed and depends on the factors listed above.

Information in this document is subject to change without notice. The manufacturer does not make any representations or warranties (implied or otherwise) regarding the accuracy and completeness of this document and shall in no event be liable for any loss of profit or any commercial damage, including but not limited to special, incidental, consequential, or other damage.

Safety Instructions

Always read the safety instructions carefully.

Keep this Quick Start Guide for future reference.

Keep this equipment away from humidity.

If any of the following situation arises, get the equipment checked by a service technician:

☐The equipment has been exposed to moisture.
☐The equipment has been dropped and damaged.
The equipment has an obvious sign of breakage.
☐The equipment has not been working well or you cannot get it work according to Quick
start Guide.

Copyright Statement

No part of this publication may be reproduced in any form by any means without the prior written permission.

Other trademarks or brand names mentioned herein are trademarks or registered trademarks of their respective companies.

WEEE Directive & Product Disposal

At the end of its serviceable life, this product should not be treated as household or general waste. It should be handed over to the applicable collection point for the recycling of electrical and electronic eauipment, or returned to the supplier for disposal.



Chapter 1 Overview

This chapter contains the following sections:


- Package Content
- Product Overview

Package Content

1×USB-C Triple 4K Display Universal Docking Station 1×USB-C to USB-C Cable(E-Mark Chip) 1×20V/6.5A 130W Power Adapter 1×Quick Start Guide


Product Overview

Front View



- ①Power LED
- ②Audio & Mic Jack
- 32×USB-A Ports(10Gbps)
- @USB-C Port(10Gbps)

Rear View



①Power Button

- @DC IN(20V/6.5A, 130W)
- ③USB-C Port(Host, PD100W)
- @USB-A 3.1 Ports(10Gbps)
- **⑤HDMI Port**
- ⑥DisplayPort
- **®**Gigabit Ethernet Port

Chapter 2 DisplayLink Driver Installation


This chapter contains the following sections:

- For Windows OS
- For Mac OS


The docking station is based on DisplayLink USB graphics technology which manages the graphics function. It requires downloading and installing DisplayLink graphics driver to make it work, found here: www.wavlink.com > Support > Driver > WL-UG69PD25, www.wavlink.com/en_us/WL-UG69PD25 or www.displaylink.com.

For Windows OS

- 1. Locate the downloaded folder and double-click the driver file you just downloaded.
- 2. If there is no DisplayLink Driver in your Windows computer, click **Install** and follow guide to install the Driver, If your Windows host has ever installed the Driver, open the file and then click **Upgrade**.




3. Please wait patiently for the complete of the installation. After finishing installation, click **Finish**.




For Mac OS


1. Double-click the driver file you just downloaded, navigate to the Install DisplayLink Manager window, click **Continue**.




2. Click Continue to the next window, then click Agree.




3. Click **Install** and choose **Use Password..**, then enter the screen password and click **Install Software**.




4. Please wait patiently for the installation to complete, then click **Close**.




5. If you have enabled notifications from DisplayLink Manager, it will remind you to allow screen recording when it detects that this permission is missing.




6. If you didn't get the notification from DisplayLink Manager, please click Go in the function bar at the top left of screen, then select Applications and click DisplayLink Manager.



7. Click the **DisplayLink Graphics** icon in the function bar at the top right of the screen, and the notification will also appear in the DisplayLink Manager window, A warning is found here, you should allow the screen recording permission for **DisplayLink Manager**.




Click the Apple icon and select System Preferences, then double click Security
Privacy.




9. Enable **Screen Recording** to allow the **DisplayLink Manager application** to capture pixels and send them to your USB peripheral:

- 9.1 Select Screen Recording in Privacy tab.
- 9.2 Click the lock icon at the bottom left of the window to unlock.




- 10. When the small window pops up, choose a password or use your fingerprint to unlock.
 - 10.1 If you use password to unlock, and click **Use Password**, then enter your password and choose **Unlock**.



- 10.2 If you use fingerprint to unlock, it will jump directly to the next step.
- 11. Check the **DisplayLink Manager** in the right list.



12. Click **Quit & Reopen** to restart the driver, then you can click the **DisplayLink Graphics** icon in the function bar at the top right of the screen to ensure whether the warning has been lifted and whether the driver can work properly.



Note: Please keep DisplayLink Manager running in programs list of Mac OS so that the HDMI and DP port of the Dock can display properly.

Chapter 3 Connection and Resolution

This chapter contains the following sections:

- Connection
- Resolution

Connection

Before using this dock, please ensure the host laptop has installed the latest DisplayLink Graphics Driver. The Cable Holder just is used for fixing the cable to prevent accidental touch and loosening. After assembling it, please do not pull it hard to avoid damage to the interface. Please follow the above instructions if you need to disassemble it.

Power on Your Dock

Connect this docking station to a power outlet.

Connect to the Host


1. Connect the USB-C port(host) to your laptop.



Note for Cable Holder:


The cable holder is designed to tighten the USB-C cable. If you are worried that the USB-C cable might loosen, please follow the following steps to install the cable holder to the dock.

- 1). Insert the cable into the cable holder according to the arrow direction.
- 2). Align the bolt with the fixing hole, then please connect it to the host Type-C port.




3). Fasten the bolt and fix the connectivity between the cable and the dock. Tighten the screw clockwise when you are assembling it. Please loosen the screw counter-

clockwise if you need to disassemble it.



Connect to the Monitors

Connect to the external monotor, can connect up to three monitors.



Resolution

Single Display

Display Port	Resolution
HDMI 1(Alt Mode)	DP1.2: 3840×2160@30Hz
HDMI 1(Alt Mode)	DP1.4: 3840×2160@60Hz
HDMI 2/DisplayPort 2	DP1.2: 3840×2160@60Hz
HDMI 2/DisplayPort 2	DP1.4: 3840×2160@60Hz
HDMI 3/DisplayPort 3	DP1.2: 3840×2160@60Hz
HDMI 3/DisplayPort 3	DP1.4: 3840×2160@60Hz

Dual Display

Display Port	Resolution
HDMI (Alt Mode) + Display 1/2	DP1.2: 3840×2160@30Hz + 3840×2160@60Hz
HDMI (Alt Mode) + Display 1/2	DP1.4: Dual 3840×2160@60Hz
Display 1+ Display 2	DP1.2: Dual 3840×2160@60Hz
Display 1+ Display 2	DP1.4: Dual 3840×2160@60Hz

Triple Display

Display Port	Resolution
HDMI 1(Alt Mode) + HDMI 2/DisplayPort 2 + HDMI 3/DisplayPort 3	DP1.2: Triple 3840×2160@60Hz
HDMI 1(Alt Mode) + HDMI 2/DisplayPort 2 + HDMI 3/DisplayPort 3	DP1.4: Triple 3840×2160@60Hz

Chapter 4 Display Settings

This chapter contains the following sections:


- For Windows OS
- For Mac OS
- For Mac OS X13

Display Settings

Before configuring the settings, please make sure this docking station has been connected to your laptop and monitors correctly.

For Windows OS

1. Right-click and select **Display settings**.




2. In **Display**, you can enjoy different operations of duplicating, extending and rotating on your monitors.




For Mac OS


1. Click Apple icon, then select About This Mac.




2. Click **Displays**, then select **Displays Preferences**.



3. Select **Displays** from the list, then you can enjoy different operations of mirroring, expanding and rotating on your monitors.




4. Or click **Gather Windows** to gather all connected displays and make separate settings.



For Mac OS X13

1. Click **Apple** icon, then select **About This Mac**.



- 2. Click More Info....
- 3. Select **Displays** from the list, then you can enjoy different operations of mirroring, expanding and rotating on your monitors.



Chapter 5 FAQ and After-sale Service

This chapter contains the following sections:

- FAQ
- After-sale Service

FAQ and After-sale Service

FAQ

Q1. What should I do if the dock is not working as expected on Mac OS?

A1. To make your DisplayLink-based device work properly on MacOS, it requires correctly downloading and installing the DisplayLink Graphics Manager APP for MacOS. Please locate and install the correct DisplayLink Manager APP according to the specific Mac OS available from DisplayLink website here:

https://www.synaptics.com/products/displaylink-graphics/downloads/macos

Mac OS requires the user to permit **Screen Recording**

for DisplayLink driver to work properly. To approve the permission, please follow the steps: https://support.displaylink.com/knowledgebase/articles/2008685-macos-sonoma-14-screen-recording-permission

Q2.What should I do if the dock is not working as expected on Windows PC? For windows:

- 1.Disconnect the dock from the system and remove the power cable from the dock so it turns off completely (this is important so the unit resets). Please keep it disconnected unt il the last step.
- 2. Uninstall any and all software with

DisplayLink in the title that is present from within the **Control Panel>Programs** and **Features**.

Don't worry if these entries are not present or if the process does not work, just move on to the next step.

- 3. Download, extract and run the DisplayLink cleaner tool, found here: https://synaptics.com/products/displaylink-graphics/downloads/windows-installation-cleaner
- 4. Once the Cleaner has been run, reboot (even if not prompted to).

- 5. Now download and install the latest DisplayLink software, found here: https://www.synaptics.com/products/displaylink-graphics/downloads/windows
- 6. Reattach the power cable to the dock first. Once the dock is powered on, reconnect it to your system which will trigger the final portion of the installation. If the device is not detected, please click the **Skip** button to allow the process to complete and then reboot the system.

Q3. What should I do if the Alt Mode to HDMI port does not work?

A3. The Alt Mode to HDMI port requires the laptop has at least a USB-C port that support DisplayPort Alt mode (video output). Please check the specs or manual of your laptop from its manufacturer's website, or kindly contact us via email techsupport@wavlink.com to determine.

After-sale Service

Need help?

We're here for you!



Online support: wavlink.com

Available Mon-Fri 8:30 am-5:30pm (UTC+8)



support@wavlink.com

Available Mon-Fri 8:30 am-5:30pm (UTC+8)



+18889730883

Mon-Fri 9:00 am - 6:00 pm (UTC-5)

www.wavlink.com



Thank you for purchasing WAVLINK product!